No.	Lists	HS Code	
1	Balance 1. Liquid Balance (A) Liquid balance without existing scales by glass, iron or other material improved officially for substitution at limit of 50 ml, 100 ml, 200 ml, 500 ml, 1 L., 2 L., 5 L., 10 L., and 20 L.		Liquid balance without existing scale

No.	Lists	HS Code	
2	(B) Liquid balance with scales	7017.10.90	Liquid balance with scales
	- Must be shaped in cylinder, made by glass or	7017.20.00	
	other materials improved officially for	7017.90.00	
	substitution		

No.	Lists	HS Code	
No. 3	Lists (C) Balance for fuel and oil - Made by iron - Scaled at least 500 ml, 1 L., 2 L., 5 L., 10 L., and 20 L.		Balance for fuel and oil

No.	Lists	HS Code	
4	(D) Balance for pumping fuel - Made by transparent glass or other materials improved officially for substitution	8413.11.00	Balance for normal pumping fuel

No.	Lists	HS Code	
5	- Balance for pumping fuel with coin or note dropping or credit card	8413.11.00	Balance for pumping fuel with coin or note dropping or credit card

No.	Lists	HS Code	
6	 Balance for Dried Items The body of balance for dried items is untransformed by iron, composite material, strong wood or other materials improved officially for substitution Balance for dried items made by bamboo and rattan Scaled by 20 L (only one scale) 		<image/>

No.	Lists	HS Code	
	Scales 1. Length measurement - Length measurement as ruler made by iron, strong wood, fiber or other materials improved officially for substitution lengthen not more than 5 meters.	9017.20.10	- Length measurement as ruler

No.	Lists	HS Code	
8	- Length measurement with can be bended lengthen not more than 5 meters	9017.80.00	- Length measurement with can be bended
			1 12 13 14 15 16 17 12 12 12 12 12 12 12 12 12 12 12 12 12

No.	Lists	HS Code	
9	- Length measurement with can be automatic bended lengthen not more than 10 meters	9017.80.00	Length measurement with can be automatic bended Image: Constraint of the second seco

No.	Lists	HS Code	
10	- Length measurement with synthetic fiber tape or other materials improved officially for substitution lengthen not more than 100 meters	9017.80.00	- Length measurement with synthetic fiber tape

No.	Lists	HS Code	
11	- Length measurement with iron tape and chain lengthen between 5 and 200 meters		RING PRIME
			221 (Inch/cm) 0 50 ¹
			221N (Inch/cm)

No.	Lists	HS Code	
12	- Length measurement with iron tape and weight		- Length measurement with iron tape and weight

No.	Lists	HS Code	
13	Length Scales - Length scale for clothes made by iron or other materials improved officially for substitution		Length scale for clothes
			WWWWOAMYAI.COM

No.	Lists	

ଭଝ	- Automatic height measurement for liquid in tank	9026.10.30		
		9026.10.90		
			R	U.

No.	Lists	HS Code	
No.	Lists - Liquid volume measurement Tools designed for scaling the volume and delivery of and exists scales as (A) Oil volume measurement Scales designed to measure and deliver oil or other lubricants lubricants such as oil volume in petrol station	9028.20.90	Oil volume measurement in petrol station

No.	Lists	HS Code	
16	(B) Fuel volume measurement Scales designed to measure and deliver fuel oil as - Fuel volume measurement at petrol station	8413.11.00	Fuel volume measurement at petrol station

No.	Lists	HS Code	
No.	Lists - Fuel volume measurement at petrol station with providing supporting machine as coin, note or credit card inserting	HS Code 8413.11.00	<text></text>

No.	Lists	HS Code	
18	- Fuel volume measurement used in selling (used in refinery factory) is a scale designed to measure and deliver fuel oil, and installed and used at refinery factory. Scale or gauge works by electronic system. र्त	9028.20.90	Fuel volume measurement used in selling

No.	Lists	HS Code	
	Lists (C) Scale measurement for LPG Scale designed to measure and deliver LPG installed on the vehicle	9028.20.90	Scale measurement for LPG Image: Control of the contro

No.	Lists	HS Code	
	Lists Scale measurement for NGV/CNG Scale designed to measure the mass of gas without any supporting outside machines	HS Code 9028.20.90	<image/>

No.	Lists	HS Code	
21	Scale measurement for water flow Scale designed to measure and deliver water, and exists volume such as		
	exists volume such as - Small scale water measurement with flow rate (Q) < 15 m3/hr (Q) < 15 m³/hr	9028.20.20	Small scale water measurement with flow rate (Q) < 15 m ³ /hr
22	- Large scale water measurement with flow rate (Q) > 15 m³/hr	9028.20.20	Large scale water measurement with flow rate (Q) > 15 m ³ /hr \sim

No.	Lists	HS Code	
25	(3) Turbine gas measurement is a scale measured the volume of gas transferring from the cycle of turbine rotation.	9028.10.90	Turbine gas measurement

No.	Lists	HS Code	
26	Non-automatic Weighing Instrument (A) Self-Indicating Instrument as - Digital weighting instrument - Digital weighting instrument	9016.00.00	Non-automatic Weighing Instrument is a balance commanded by doer such as (A) Self-Indicating Instrument - Digital weighting instrument
			Hanging Balance
	- Hanging Balance	8423.81.20	

No.	Lists	HS Code	
	- Electronic balance - Electronic balance (Not more than 30 Kg.)	8423.81.10	- Electronic balance
	- Electronic balance Electronic balance (Not more than 1,000 Kg.)	8423.82.11	
	- Electronic balance (others)	8423.89.10	

No.	Lists	HS Code	
No.	Lists (B) Semi-self-Indicating Instrument (Semi-self-Indicating Instrument)	HS Code	(B) Semi-self-Indicating Instrument is a balance displaying in many scales. The doer has to weight in the range of weighting.

Lists	HS Code	
(C) Non-self-Indicating Instrument is a balance		(C) Non-self-Indicating Instrument is a balance commanded
by doer to clarify balance such as		by doer to clarify balance such as
- Two-arms hanging balance	8423.81.20	- Two-arms hanging balance
- เครื่องชั่งแบบโรเบอร์วัน และเบแรงเงอร์	8423.81.20	- เครื่องชั่งแบบโรเบอร์วัน และเบแรงเงอร์
- Steelyard balance	8423.81.20	- Steelyard balance
	by doer to clarify balance such as - Two-arms hanging balance - เครื่องชั่งแบบโรเบอร์วัน และเบแรงเงอร์	by doer to clarify balance such as - Two-arms hanging balance 8423.81.20 - เครื่องชั่งแบบโรเบอร์วัน และเบแรงเงอร์ 8423.81.20

No.	Lists	HS Code	
27	Automatic Weighing Instrument		Automatic Weighing Instrument is no need to command and it can program to weight by itself automatically such as
	(A) Conveyor balance is a weighting instrument that applies gravity acted to items on the conveyor belt and weighting without any interruption.	8423.20.10	(A) Conveyor balance is a weighting instrument that applies gravity acted to items on the conveyor belt and continuous weighting without any interruption.
			<image/>

No.	Lists	HS Code	
	(B) Hopper balance is an automatic weighting instrument for a big volume weighting. Each weight is accumulated and then displayed in total.	8423.30.10	(8) Hopper balance is an automatic weighting instrument for a big volume weighting. Each weight is accumulated and then displayed in total.

No.	Lists	HS Code	
29	Weighting is a weight for scaling. Stainless weight Brass weight	8423.90.10	Weighting is a weight for scaling. Stainless weight Brass weight
			ตุ้มน้ำหนัก ทองเหลือง

No.	Lists	HS Code	
30	Unverified Balance	8423.10.10	Unverified Balance
	Following the announcement of Ministry of Commerce		Following the announcement of Ministry of Commerce titled balances, scales and
	titled balances, scales and weighting (No. 2) B.E. 2547		weighting (No. 2) B.E. 2547 such as personal weighting balance
	personal weighting balance		1241 g man
	- personal weighting balance (consume electricity)	8423.10.10	
	- personal weighting balance (not consume electricity)	8423.10.20	

No.	Lists	HS Code	
	- household weighting balance for cooking	8423.10.20	household weighting balance for cooking
31	Spring Scales	8423.10.20	

No.	Lists	HS Code	
	Moisture in Rice Measurement Moisture in rice measurement is a scale to examine the moisture in rice but not included balance and using heat convection.		Moisture in rice measurement is a scale to examine the moisture in rice but not included balance and using heat convection.
			BELT AND BEARINGS CO., LTD. ได้รับครุทรับรองมูกตองจากสำนัก ซึ่ง ดาง วัด ภระทรวงษาณีขย